Mental Calculation Strategies

Addition and Subtraction

Recall: **Children should be able to derive and recall:**	**Mental calculation skills:** **Working mentally, with jottings if needed, children should be able to:**	**Mental methods or strategies:** **Children should understand when to and be able to apply these strategies:**
Year 1 number pairs with a total of numbers up to 10, then up to 20, e.g. 3 + 7 = 10, 4 + 5 = 9, 12 + 5 = 17, or what to add to a number to make numbers up to 10, then up to 20, e.g. 3 + □ = 10, 6 + □ = 13 addition facts for totals to at least 20, e.g. 2 + 3, 14 + 3 addition doubles for all numbers to at least 10, e.g. 8 + 8 one more or one less than a number	**Year 1** add or subtract a pair of single-digit numbers, e.g. 4 + 5, 8 – 3 add or subtract a single-digit number to or from a teens number, e.g. 13 + 5, 17 – 3 add or subtract a single-digit to or from 10, and add a multiple of 10 to a single-digit number, e.g. 10 + 7, 7 + 30 add near doubles, e.g. 6 + 7	**Year 1** reorder numbers when adding, e.g. put the larger number first count on or back in ones, twos or tens partition small numbers, e.g. 8 + 3 = 8 + 2 + 1 partition and combine tens and ones partition: double and adjust, e.g. 5 + 6 = 5 + 5 + 1
Year 2 addition and subtraction facts for all numbers up to at least 10, e.g. 3 + 4, 8 – 5 number pairs with totals to 20 all pairs of multiples of 10 with totals up to 100, e.g. 30 + 70, or 60 + □ = 100 what must be added to any two-digit number to make the next multiple of 10, e.g. 52 + □ = 60 addition doubles for all numbers to 20, e.g. 17 + 17 and multiples of 10 to 50, e.g. 40 + 40 recall addition and subtraction facts to 20 fluently, and derive and use related facts to 100. e.g. use knowledge that 7 + 2 =	**Year 2** add or subtract two or three single-digit numbers, including crossing 10, e.g. 5 + 8, 12 – 7, 6 + 3 +4 add any single-digit number to or from a multiple of 10, e.g. 60 + 5 subtract any single-digit number from a multiple of 10, e.g. 80 – 7 add or subtract a single-digit number to or from a two-digit number, including crossing the tens boundary, e.g. 23 + 5, 57 – 3, then 28 + 5, 52 – 7 add or subtract a multiple of 10 to or from any two-digit number, e.g. 27 + 60, 72 – 50	**Year 2** reorder numbers when adding, either by beginning with the largest number to support calculation, or by identifying known number facts within a calculation partition: bridge through 10 and multiples of 10 when adding and subtracting partition and combine multiples of tens and ones use knowledge of pairs making 10 partition: count on in tens and ones to find the total partition: count on or back in tens and ones to find the difference

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

9 to derive that 27 + 2 = 29 or that 20 + 70 = 90. one or ten more or less than a given number	add or subtract two two-digit number 34 + 65, 68 – 35 add 9, 19, 29, … or 11, 21, 31, … add near doubles, e.g. 13 + 14, 39 + 40 identify and use inverse operations from a given fact	 partition: add a multiple of 10 and adjust by 1 partition: double and adjust
Year 3 addition and subtraction facts for all numbers to 20, e.g. 9 + 8, 17 – 9, drawing on knowledge of inverse operations sums and differences of multiples of 10, e.g. 50 + 80, 120 – 90 pairs of two-digit numbers with a total of 100, e.g. 32 + 68, or 32 + □ = 100 addition doubles for multiples of 10 to 100, e.g. 90 + 90 round numbers to the nearest 10 or 100 1, 10 or 100 more or less than a given number	**Year 3** add near doubles, e.g. 18 + 16, 60 + 70, 100 + 98, 230 + 227 . add and subtract a three-digit number and ones e.g. 345 + 8, 256 - 7 add and subtract a three-digit number and tens e.g. 345 + 20, 256 -30 add and subtract a three-digit number and hundreds e.g. 345 + 300, 256 -100 add and subtract fractions with the same denominator within one whole, for example $^5/_7 + {}^1/_7 = {}^6/_7$	**Year 3** reorder numbers when adding identify pairs totalling 10 or multiples of 10 partition: add tens and ones separately, then recombine partition: count on in tens and ones to find the total partition: count on or back in tens and ones to find the difference partition: add or subtract 10, ~~or~~ 20, 30 and so on and adjust partition: add or subtract 100, 200, 300 and so on and adjust partition: double and adjust partition: count on or back in minutes and hours, bridging through 60 (analogue times) estimate the answer to a calculation and use inverse operations to check answers
Year 4 sums and differences of pairs of multiples of 10, 100 or 1000 addition doubles of numbers 1 to 100, e.g. 38 + 38, and the corresponding halves what must be added to any three-digit number to make the	**Year 4** add or subtract any pair of two-digit numbers, including crossing the tens and 100 boundary, e.g. 47 + 58, 91 – 35 add or subtract a near multiple of 10, e.g. 56 + 29, 86 – 38, 132 + 129	**Year 4** count on or back in hundreds, tens and ones partition: add tens and ones separately, then recombine partition: subtract tens and then ones, e.g. subtracting 27 by subtracting 20 then 7

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

next multiple of 100, e.g. 521 + □ = 600 pairs of fractions that total 1 rounding any number to the nearest 10, 100 or 1000 1, 10, 100 or 1000 more or less than a given number sums and differences of decimals, e.g. 6.5 + 2.7, 7.8 – 1.3 doubles and halves of decimals, e.g. half of 5.6, double 3.4 what must be added to a decimal with units and tenths to make the next whole number, e.g. 7.2 + □ = 8	add near doubles of two-digit or three-digit numbers, e.g. 38 + 37, 145 + 147 add or subtract two-digit or three-digit multiples of 10, e.g. 120 – 40, 140 + 150, 370 – 180 add and subtract fractions with the same denominator	subtract by counting up from the smaller to the larger number partition: add or subtract a multiple of 10 and adjust, e.g. 56 + 29 = 56 + 30 – 1, or 86 – 38 = 86 – 40 + 2 partition: double and adjust use knowledge of place value and related calculations, e.g. work out 140 + 150 = 290 using 14 + 15 = 29 partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times) Estimate and use inverse operations to check answers to calculations
Year 5 that must be added to any four-digit number to make the next multiple of 1000, e.g. 4087 + □ = 5000 round any number up to 1000000 to the nearest 10, 100, 1000, 10000 and 100000 round decimals with two decimal places to the nearest whole number and one decimal place	**Year 5** add or subtract a pair of two-digit numbers or three-digit multiples of 10, e.g. 38 + 86, 620 – 380, 350+ 360 add or subtract a near multiple of 10 or 100 to any two-digit or three-digit number, e.g. 235 + 198 find the difference between near multiples of 100, e.g. 607 – 588, or of 1000, e.g. 6070 – 4087 add or subtract any pairs of decimal fractions each with units and tenths, e.g. 5.7 + 2.5, 6.3 – 4.8 add and subtract numbers mentally with increasingly large numbers convert mixed numbers and improper fractions from one form to another	**Year 5** count on or back in hundreds, tens, ones and tenths partition: add hundreds, tens or ones separately, then recombine subtract by counting up from the smaller to the larger number add or subtract a multiple of 10 or 100 and adjust partition: double and adjust use knowledge of place value and related calculations, e.g. 6.3 – 4.8 using 63 – 48 partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times) use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

Year 6	Year 6	Year 6
addition and subtraction facts for multiples of 10 to 1000 and decimal numbers with one decimal place, e.g. 650 + □ = 930, □ – 1.4 = 2.5 what must be added to a decimal with units, tenths and hundredths to make the next whole number, e.g. 7.26 + □ = 8 round any whole number to a required degree of accuracy	add or subtract pairs of decimals with~~,~~ tenths or hundredths, e.g. 0.7 + 3.38 find doubles of decimals each with ones and tenths and hundredths e.g. 1.61 + 1.61 add near doubles of decimals, e.g. 2.59 + 2.62	count on or back in hundreds, tens, ones, tenths and hundredths use knowledge of place value and related calculations, e.g. 680 + 430, 6.8 + 4.3, 0.68 + 0.43 can all be worked out using the related calculation 68 + 43 use knowledge of place value and of doubles of ~~two-digit~~ whole numbers partition: double and adjust partition: add or subtract a whole number and adjust, e.g. 4.3 + 2.9 = 4.3 + 3 – 0.1, 6.5 – 3.8 = 6.5 – 4 + 0.2 partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times, 12-hour and 24-hour clock) use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

Multiplication and Division

Recall: **Children should be able to derive and recall:**	**Mental calculation skills:** **Working mentally, with jottings if needed, children should be able to:**	**Mental methods or strategies:** **Children should understand when to and be able to apply these strategies:**
Year 1 doubles of all numbers to 10, e.g. double 6 odd and even numbers to 20	**Year 1** count on from and back to zero in ones, twos, fives or tens	**Year 1** use patterns of last digits, e.g. 0 and 5 when counting in fives
Year 2 doubles of all numbers to 20, e.g. double 13, and corresponding halves doubles of multiples of 10 to 50, e.g. double 40, and corresponding halves multiplication facts for the 2, 5 and 10 times-tables, and corresponding division facts odd and even numbers to 100	**Year 2** count in steps of 2, 3 and 5 from and back to zero, and in tens from any number forward and backward double any multiple of 5 up to 50, e.g. double 35 halve any multiple of 10 up to 100, e.g. halve 90 find half of even numbers to 40 find the total number of objects when they are organised into groups of 2, 5 or 10 find remainders	**Year 2** partition: double the tens and ones separately, then recombine use knowledge that halving is the inverse of doubling and that doubling is equivalent to multiplying by two use knowledge of multiplication facts from the 2, 5 and 10 times-tables, e.g. recognise that there are 15 objects altogether because there are three groups of five
Year 3 multiplication facts for the 2, 3, 4, 5, ~~6~~ 8 and 10 times-tables, and corresponding division facts doubles of multiples of 10 to 100, e.g. double 90, and corresponding halves calculate statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers. fraction and decimal equivalents of one-half, quarters, and tenths, e.g. $^3/_{10}$ is 0.3	**Year 3** double any multiple of 5 up to 100, e.g. double 35 halve any multiple of 10 up to 200, e.g. halve 170 multiply one-digit or two-digit numbers by 10 or 100, e.g. 7 × 100, 46 × 10, 54 x 100 find unit and non-unit fractions of numbers and quantities involving fractions with small denominators find remainders that arise from division	**Year 3** partition: when doubling, double the tens and ones separately, then recombine partition: when halving, halve the tens and ones separately, then recombine use knowledge that halving, and doubling are inverse operations recognise that finding a unit fraction is equivalent to dividing by the denominator and use knowledge of division facts Recognise that the numerator acts as a multiplier when finding a non-unit fraction recognise that when multiplying by 10 the digits move one or

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

		two places to the left and zero is used as a place holder
Year 4 multiplication facts to ~~10 × 10~~ 12 x 12 and the corresponding division facts doubles of numbers 1 to 100, e.g. double 58, and corresponding halves doubles of multiples of 10 and 100 and corresponding halves fraction and decimal equivalents of one-half, quarters, tenths and hundredths, e.g. $^3/_{10}$ is 0.3 and $^3/_{100}$ is 0.03 rounding any number to the nearest 10, 100 or 1000	**Year 4** double any two-digit number, e.g. double 39 double any multiple of 10 or 100, e.g. double 340, double 800, and halve the corresponding multiples of 10 and 100 halve any even number to 200 find unit fractions and simple non-unit fractions of numbers and quantities, e.g. 38 of 24 multiply and divide numbers to 1000 by 10 and then 100 (whole-number answers), e.g. 325 × 10, 42 × 100, 120 ÷ 10, 600 ÷ 100, 850 ÷ 10 multiply a multiple of 10 to 100 by a single-digit number, e.g. 40 × 3 multiply numbers to 20 by a single-digit, e.g. 17 × 3 identify the remainder when dividing	**Year 4** partition: double or halve the tens and ones separately, then recombine use understanding that when a number is multiplied or divided by 10 or 100, its digits move one or two places to the left or the right and zero is used as a place holder use knowledge of multiplication facts and place value, e.g. 7 x 8 = 56 to find 70 x 8, 7 x 80 use partitioning and the distributive law to multiply, e.g.13 × 4 = (10 + 3) × 4 = (10 × 4) + (3 × 4) = 40 + 12 = 52
Year 5 squares to 12 x 12 and cubes of small numbers division facts corresponding to tables up to 10 × 10, and the related unit fractions, e.g. 7 × 9 = 63 so one-ninth of 63 is 7 and one-seventh of 63 is 9 percentage equivalents of one-half, one-quarter, three-quarters, tenths and hundredths factor pairs to 100	**Year 5** find cubed numbers multiply and divide two-digit numbers by 4 or 8, e.g. 26 × 4, 96 ÷ 8 multiply two-digit numbers by 5 or 20, e.g. 320 × 5, 14 × 20 multiply by 25 or 50, e.g. 48 × 25, 32 × 50 double three-digit multiples of 10 to 500, e.g. 380 × 2, and find	**Year 5** multiply or divide by 4 or 8 by repeated doubling or halving form an equivalent calculation, e.g. to multiply by 5, multiply by 10, then halve; to multiply by 20, double, then multiply by 10 use knowledge of doubles/halves and understanding of place value, e.g. when multiplying by 50 multiply by 100 and divide by 2

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

common factors of two numbers round any number up to 1000000 to the nearest 10, 100, 1000, 10000 and 100000 round decimals with two decimal places to the nearest whole number and one decimal place multiply and divide whole numbers and those involving decimals by 10, 100 and 1000 prime numbers to 19 and how to identify other prime numbers to 100	the corresponding halves, e.g. 760 ÷ 2 find the remainder after dividing a two-digit number by a single-digit number, e.g. 27 ÷ 4 = 6 r 3 multiply and divide whole numbers and decimals by 10, 100 or 1000, e.g. 4.3 × 10, 0.75 × 100, 25 ÷ 10, 673 ÷ 100, 74 ÷ 100 multiply pairs of multiples of 10, e.g. 60 × 30, and a multiple of 100 by a single digit number, e.g. 900 × 8 divide a multiple of 10 by a single-digit number (whole number answers) e.g. 80 ÷ 4, 270 ÷ 3 find fractions of whole numbers or quantities, e.g. 23 of 27, 45 of 70 kg find 50%, 25% or 10% of whole numbers or quantities, e.g. 25% of 20 kg, 10% of £80 find factor pairs for numbers to 100, e.g. 30 has the factor pairs 1 × 30, 2 × 15, 3 × 10 and 5 × 6	use knowledge of division facts, e.g. when carrying out a division to find a remainder use understanding that when a number is multiplied or divided by 10 or 100, its digits move one or two places to the left or the right relative to the decimal point, and zero is used as a place holder use knowledge of multiplication and division facts and understanding of place value, e.g. when calculating with multiples of 10 use knowledge of equivalence between fractions and percentages, e.g. to find 50%, 25% and 10% use knowledge of multiplication and division facts to find factor pairs
Year 6 squares to 12 x 12 and cubes to 12 x 12 x 12 squares of the corresponding multiples of 10 prime numbers less than 100 equivalent fractions, decimals and percentages for hundredths, e.g. 35% is equivalent to 0.35 or 35100 round any whole number to a required degree of accuracy	**Year 6** find squared and cubed numbers multiply pairs of two-digit and single-digit numbers, e.g. 28 × 3 divide a two-digit number by a single-digit number, e.g. 68 ÷ 4 divide by 25 or 50, e.g. 480 ÷ 25, 3200 ÷ 50 double decimals with units and tenths, e.g. double 7.6, and find the corresponding halves, e.g. half of 15.2	**Year 6** partition: use partitioning and the distributive law to divide tens and ones separately, e.g.92 ÷ 4 = (80 + 12) ÷ 4 = 20 + 3 = 23 form an equivalent calculation, e.g. to divide by 25, divide by 100, then multiply by 4; to divide by 50, divide by 100, then double use knowledge of the equivalence between fractions and percentages and the relationship between fractions and division recognise how to scale up or down using multiplication and

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

	multiply pairs of multiples of 10 and 100, e.g. 50 × 30, 600 × 20 divide multiples of 100 by a multiple of 10 or 100 (whole number answers), e.g. 600 ÷ 20, 800 ÷ 400, 2100 ÷ 300 multiply and divide two-digit decimals such as 0.8 × 7, 4.8 ÷ 6 find 10% or multiples of 10%, of whole numbers and quantities, e.g. 30% of 50 ml, 40% of £30, 70% of 200 g simplify fractions by cancelling scale up and down using known facts, e.g. given that three oranges cost 24p, find the cost of four oranges identify numbers with odd and even numbers of factors and no factor pairs other than 1 and themselves use scale factors to increase or decrease quantities identify missing values where the relative sizes of missing values can be found by using integer multiplication and division	division, e.g. if three oranges cost 24p:one orange costs 24 ÷ 3 = 8p four oranges cost 8 × 4 = 32p Use knowledge of multiplication and division facts to identify factor pairs and numbers with only two factors

© 2019 Juniper Education. All rights reserved. This publication is the intellectual property of Juniper Education and no part of it may be reproduced, stored or transmitted by any means without prior permission of Juniper Education. Any unauthorised use for commercial gain will constitute an infringement of copyright.

Enabling teachers to teach

t. 0345 200 8600 e. enquiries@junipereducation.org w. junipereducation.org

Juniper Education Ltd. Company Number: 11992947. Registered in England and Wales. Registered Office: 1st Floor Brettenham House, 2-19 Lancaster Place, London WC2E 7EN